

## LAMPIRAN

### Regression

#### Descriptive Statistics

	Mean	Std. Deviation	N
y	5.6000	.58452	13
x1	3.3899E14	1.46970E14	13
x2	6.9000	3.95200	13

#### Correlations

		Y	x1	x2
Pearson Correlation	y	1.000	-.198	.247
	x1	-.198	1.000	-.503
	x2	.247	-.503	1.000
Sig. (1-tailed)	y	.	.259	.208
	x1	.259	.	.040
	x2	.208	.040	.
N	y	13	13	13
	x1	13	13	13
	x2	13	13	13

#### Variables Entered/Removed<sup>b</sup>

Model	Variables Entered	Variables Removed	Method
1	x2, x1 <sup>a</sup>	.	Enter

a. All requested variables entered.

b. Dependent Variable: y

#### Model Summary<sup>b</sup>

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate	Change Statistics					Durbin-Watson
					R Square Change	F Change	df1	df2	Sig. F Change	
1	.261 <sup>a</sup>	.068	-.118	.61807	.068	.366	2	10	.702	1.686

a. Predictors: (Constant), x2, x1

b. Dependent Variable: y

#### ANOVA<sup>b</sup>

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.280	2	.140	.366	.702 <sup>a</sup>
	Residual	3.820	10	.382		
	Total	4.100	12			

a. Predictors: (Constant), x2, x1

b. Dependent Variable: y

Coefficients<sup>a</sup>

Model		Unstandardized Coefficients		Standardized Coefficients	T	Sig.	Correlations			Collinearity Statistics	
		B	Std. Error	Beta			Zero-order	Partial	Part	Tolerance	VIF
1	(Constant)	5.531	.747		7.402	.000					
	x1	-3.907E-16	.000	-.098	-.278	.786	-.198	-.088	-.085	.747	1.338
	x2	.029	.052	.198	.560	.588	.247	.174	.171	.747	1.338

a. Dependent Variable: y

Collinearity Diagnostics<sup>a</sup>

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions		
				(Constant)	x1	x2
1	1	2.680	1.000	.01	.01	.02
	2	.287	3.055	.00	.16	.34
	3	.033	8.958	.99	.82	.64

a. Dependent Variable: y


Residuals Statistics<sup>a</sup>

	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	5.3684	5.9748	5.6000	.15274	13
Std. Predicted Value	-1.516	2.454	.000	1.000	13
Standard Error of Predicted Value	.174	.491	.284	.088	13
Adjusted Predicted Value	5.3923	6.4471	5.6929	.28313	13
Residual	-.90011	.78837	.00000	.56422	13
Std. Residual	-1.456	1.276	.000	.913	13
Stud. Residual	-1.683	1.329	-.062	1.033	13
Deleted Residual	-1.20177	.85611	-.09288	.73448	13
Stud. Deleted Residual	-1.886	1.390	-.071	1.080	13
Mahal. Distance	.026	6.663	1.846	1.852	13
Cook's Distance	.000	.316	.112	.122	13
Centered Leverage Value	.002	.555	.154	.154	13


a. Dependent Variable: y

## Charts

### Histogram




### Normal P-P Plot of Regression Standardized Residual



Scatterplot

Dependent Variable: y



Scatterplot

Dependent Variable: PE

